

A.B.N. 67 054 007 162

HAZPAK PTY LTD 44 Stephen Rd, Dandenong South Vic. 3175 Australia Postal Address: P.O. Box 4000, Dandenong South Vic. 3164 Australia Tel: (03) 9706 8058 Fax: (03) 9706 7593 Intl. Tel: 61 3 9706 8058 E-mail: hazpak@hazpak.com.au

PRODUCT INFORMATION

PRODUCT NAME: Small-Fibreboard 5L Metal Inner

PRODUCT

UN Approved DG packaging

PRODUCT CODE: GP-

DESCRIPTION:

GP-4G8-AB-IP3-1x5L-EPON-45

TYPE:

 $Dangerous\,Goods\,Approved\,Combination\,Package\,\,containing\,\,1\,\,x\,\,5L\,\,metal\,\,inner\,tinplate\,\,can\,\,with$

a push on closure in a liner bag with fibreboard inserts for the transport of dangerous goods. IATA

COMPLIANT

PHOTOGRAPHS





Fill contents



Place closure concentric with opening i Packaging System



Force the closure snug into the opening



Use the diagram on the closure to open

FALCON TEST ENGINEERS REPORT No: 8526A

ASSEMBLY & CONFIGURATION OF PACKAGING:

Fill the 5L EPON jerrican inner packaging, press the "press-fit" plastic closure onto the opening. Place jerrican inside the liner bag, ensure that it is in a stable upright position and that the fibreboard wall inserts are in place. Place top fibreboard insert over the inner packaging. Seal plastic bag with a "goose-neck tie". (Twist slack of bag tightly, fold over so that it forms a neck, and secure with elastic bands). Tuck neck into box. Close and seal the box with 48 mm pressure sensitive self-adhesive tape in the same manner that the base of the box has been sealed. Add the required amount of absorbent material if specified. Label the box as required.

(Make sure that the labels or any other markings are not obliterated or obscured in any way).

Note: The use of other packaging methods or components may render the approval of this package invalid.

MARKINGS & APPROVAL:

Approval No.: 31395

UN 4G/X9/S/##/AUS/HAZPAK31395

Packaging Group: I, II & III S.G.: 1.6 Internal Test Pressure: 180kPa

PRODUCT DIMENSIONS:

Dimensions: 195 (L) x 145 (W) x 315 (H) mm Mass of Empty Package: 800g

Nominal Volume 0.009 m³ per unit

Bulk Equivalent: 2.2 kg (@ 250kg/m³)