

HAZPAK PTY LTD 44 Stephen Rd, Dandenong South Vic. 3175 Australia Postal Address: P.O. Box 4000, Dandenong South Vic. 3164 Australia Tel: (03) 9706 8058 Fax: (03) 9706 7593 Intl. Tel: 61 3 9706 8058 E-mail: hazpak@hazpak.com.au A.B.N. 67 054 007 162

PRODUCT INFORMATION

PRODUCT CODE: STP-4G20-EPS27-IP2-1x0.85L-90 PRODUCT TYPE: Infectious Substances and Biological

Substances

DESCRIPTION: '620/650 Insulated Specimen Transport Pack' with fibreboard outer box, EPS insulating box, 1 x

EPS stabilising inserts, 1 x re-sealable plastic bags (Primary Receptacle), 1 x 0.85 L HDPE round jars with 90 mm screw closure and o-ring gasket (Secondary Package) and 4 x absorbent pads for

transport with chilling mediums or at ambient temperature. IATA COMPLIANT

This package can be used with 1 or up to 2 x 0.85 L jars as per the client's requirements. Quantity of chilling medium will depend on the number of 0.85 L jars used.

NOTE: If transporting UN 2814 or UN 2900 place the 6.2 Class label over the UN 3373 label, and mark proper shipping name over 'Biological Substance Category B' marking.

The absorbent material supplied absorb up to 200 mL of product. Additional absorbent pads can be purchased separately if required.

PHOTOGRAPHS







Packaging System

CONFIGURATION OF PACKAGING:

FALCON TEST ENGINEERS REPORT No.:

Four absorbent pads and re-sealable plastic bag are placed inside each of the 'Hazpak' 0.85 L HDPE jars and the lid screwed closed. The 0.85 L HDPE jars are placed into the EPS insulating box. The two EPS stabilising inserts are placed on top of each of the jars and the EPS box is closed. Close and seal the fibreboard box with 48 mm pressure sensitive self adhesive tape in the same manner that the base of the box has been sealed. Add the required amount of absorbent material if specified. Label the box as required.

4314

If using dry ice, the box should be pierced in the position marked to allow for venting.

(Make sure that the labels or any other markings are not obliterated or obscured in any way).

Note: The use of other packaging methods or components may render the approval of this package invalid.

MARKINGS & APPROVAL:

Approval No.: 3509

UN 4G/CLASS 6.2/##/AUS/3509/HAZPAK

Packaging Group: NA S.G.: NA

Internal Test Pressure: 180 kPa at Ambient and 95 kPa at +55°C and -40°C

PRODUCT DIMENSIONS:

Dimensions: 310 (L) x 220 (W) x 285 (H) mm **Bulk Equivalent:** 4.9 kg (@ 250 kg/m³)

Nominal Volume 0.02 m³ per unit

Mass of Empty

Package: 765 g